## Psychotropic Medication Utilization Review State Parameters



	9	
C.		
1	<u> </u>	

Q: What indicators does Superior HealthPlan use to screen foster children in a Psychotropic Medication Utilization (PMUR)?



- A: Children who have received treatment with a psychotropic medication(s) for 60 days or more that falls into the following categories:
  - $\cdot$  Children under the age of 5 years, breakdown below:
    - $\Box$  Less than 3 years of age stimulants
    - 🗆 Less than 4 years of age 🛛 Alpha Agonists 🖓 Antidepressants 🖓 Mood stabilizers
    - $\Box$  Less than 5 years of age antipsychotics
  - Any child whose medication regimen appears to have class polypharmacy as defined by:
    - 2 or more concomitant stimulant medications. 2
    - 2 or more concomitant alpha agonists.
    - 2 or more concomitant antidepressants.
  - $\cdot$  Any child with 4 or more psychotropic medications.

## SuperiorHealthPlan.com

- 2 or more concomitant antipsychotics.
- 3 or more concomitant mood stabilizers.



## **Additional Guidelines:**

- □ Medication is not consistent with appropriate care for the diagnosed mental disorder or with target symptoms.
- □ Psychotropic polypharmacy for a given mental disorder is prescribed before utilizing monotherapy.
- $\hfill\square$  The psychotropic medication dose exceeds the usual recommended doses.
- □ Prescribing by a PCP who has not documented specialty training for a diagnosis other than ADHD, uncomplicated anxiety, or uncomplicated depression.
- $\square$  Absence of a thorough assessment for the DSM-5 diagnosis(es) in the child's medical records.



## **Resources:**

The Child Psychiatry Access Network (CPAN) is available for telephonic consultation for psychotropic prescribing. For questions or to enroll, please call CPAN at <u>1-888-901-CPAN(2726)</u>.

For more information please visit: <u>SuperiorHealthPlan.com/ProviderBehavioralHealth</u>



To view the Department of Family and Protective Services (DFPS) Psychotropic Medication webpage scan the QR code.